

I claim:

1. A rear view mirror for attachment at the top edge of a motorcycle windscreen comprising:

5 a mounting bracket adapted to conform to the concave surface and edge contour of a motorcycle windscreen, with attaching members widely spaced apart to fit to the windscreen at least two locations along the top edge thereof; and

10 the mirror including right and left mirror portions, each with a height of less than three inches and a width of more than three inches, attached to the bracket about a vertical axis of symmetry, the mirror backs facing the attaching members, with an included angle between the backs of one hundred and eighty degrees or less.

2. A rear view mirror according to claim 1 wherein the included angle is approximately one hundred and seventy degrees.

3. A rear view mirror according to claim 1 wherein the mounting bracket further comprising:

a horizontal pivotal axis;

a pivotal connection for attachment of the mirror portions to the mounting bracket;

an adjustable mechanical stop to select the mirror angle about the pivotal axis; and

a spring holding the selected mirror angle.

4. A rear view mirror according to claim 1 wherein the mounting bracket further comprising:

a horizontal pivotal axis;

at least one pivotal connecting member for attachment of the mirror portions to the mounting bracket; and

a screw threaded member for adjustment of the vertical tilt angle of the mirror portions with respect to the mounting bracket.

5. A rear view mirror according to claim 1 wherein the mounting bracket further comprises windscreen receiving mounting slots.

6. A rear view mirror according to claim 1 wherein the mounting bracket further comprises windscreen attaching members spaced apart so that the center of mass of the combined mirror and bracket assembly is located therebetween.

7. A rear view mirror according to claim 1 wherein the right and left mirror portions abut at the axis of symmetry.

8. A rear view mirror according to claim 4 wherein the mounting bracket further comprises a spring member connected to the mirror so as to hold spring force against the screw threaded adjustment member.

9. A rear view mirror according to claim 5 wherein the slots are configured to attach the bracket to the motorcycle windscreen adhesively.

10. A rear view mirror according to claim 5 wherein the slots are configured to attach the bracket to the motorcycle windscreen by clamping.

11. A rear view mirror according to claim 6 wherein the slots are configured to attach the bracket to the motorcycle windscreen adhesively.

12. A rear view mirror according to claim 6 wherein the slots are configured to attach the bracket to the motorcycle windscreen by clamping.